

**Licence Details**

Environment Protection Licence:	1307
Link to above licence:	<a href="http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=28908&amp;SYSUID=1&amp;LICID=1307">http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=28908&amp;SYSUID=1&amp;LICID=1307</a>
Licencee Name:	Hyne and Son Pty Limited
Licencee Address:	Tumbarumba Sawmill, Linden Roth Drive, Tumbarumba, NSW 2653

Published	Type of Monitoring	Date Obtained	Frequency	Residence	Time	Licence Limit	Unit of Measure	Average of Results
5/05/2018	Noise	21/04/2018	Annually	C	Day	50	LAeq(15 minute)	45
					Evening	45	LAeq(15 minute)	42
					Night	40	LAeq(15 minute)	38
				D	Day	50	LAeq(15 minute)	47
					Evening	45	LAeq(15 minute)	44
					Night	40	LAeq(15 minute)	38
				H	Day	50	LAeq(15 minute)	44
					Evening	45	LAeq(15 minute)	45
					Night	40	LAeq(15 minute)	43
12/06/2017	Noise	20/05/2017	Annually	C	Day	50	LAeq(15 minute)	44
					Evening	45	LAeq(15 minute)	42
					Night	40	LAeq(15 minute)	38
				D	Day	50	LAeq(15 minute)	41
					Evening	45	LAeq(15 minute)	38.5
					Night	40	LAeq(15 minute)	36
				H	Day	50	LAeq(15 minute)	45
					Evening	45	LAeq(15 minute)	41
					Night	40	LAeq(15 minute)	43.5
30/05/2016	Noise	19/05/2016	Annually	C	Day	50	LAeq(15 minute)	46.7
					Evening	45	LAeq(15 minute)	41.5
					Night	40	LAeq(15 minute)	42.2
				D	Day	50	LAeq(15 minute)	42
					Evening	45	LAeq(15 minute)	40.7
					Night	40	LAeq(15 minute)	39.7
				F	Day	50	LAeq(15 minute)	47.7
					Evening	45	LAeq(15 minute)	39.5
					Night	40	LAeq(15 minute)	43.7
H	Day	50	LAeq(15 minute)	45.5				
	Evening	45	LAeq(15 minute)	38.7				
	Night	40	LAeq(15 minute)	39.2				
18/05/2015	Noise	13/05/2015	Annually		Day	50	LAeq(15 minute)	43.8

				C	Evening	45	LAeq(15 minute)	42	
					Night	40	LAeq(15 minute)	42.5	
				D	Day	50	LAeq(15 minute)	39.1	
					Evening	45	LAeq(15 minute)	39.3	
					Night	40	LAeq(15 minute)	38.5	
				F	Day	50	LAeq(15 minute)	42	
					Evening	45	LAeq(15 minute)	38	
					Night	40	LAeq(15 minute)	41	
				H	Day	50	LAeq(15 minute)	39.5	
					Evening	45	LAeq(15 minute)	40.75	
					Night	40	LAeq(15 minute)	40.75	
22/01/2014	Noise	9/01/2014	Annually	C	Day	50	LAeq(15 minute)	45	45.5
					Evening	45	LAeq(15 minute)	44.5	46
					Night	40	LAeq(15 minute)	43.5	41
				D	Day	50	LAeq(15 minute)	41.5	40
					Evening	45	LAeq(15 minute)	39	43.5
					Night	40	LAeq(15 minute)	36	41
				F	Day	50	LAeq(15 minute)	52.5	48
					Evening	45	LAeq(15 minute)	44.5	41
					Night	40	LAeq(15 minute)	46.5	43.5
				H	Day	50	LAeq(15 minute)	48.5	39
					Evening	45	LAeq(15 minute)	44	39
					Night	40	LAeq(15 minute)	43	41
29/06/2012	Noise	12/06/2012	Annually	B	Day	N/A	LAeq(15 minute)	35	44.5
					Evening	N/A	LAeq(15 minute)	31	46.5
					Night	N/A	LAeq(15 minute)	42	49.5
				C	Day	50	LAeq(15 minute)	49	44.5
					Evening	45	LAeq(15 minute)	45.5	44.5
					Night	40	LAeq(15 minute)	39.5	44.5
				F	Day	50	LAeq(15 minute)	32	39.5
					Evening	45	LAeq(15 minute)	45.5	41
					Night	40	LAeq(15 minute)	43.5	51
					Day	50	LAeq(15 minute)	40.5	38

				H	Evening	45	LAeq(15 minute)	29	42
					Night	40	LAeq(15 minute)	43	48

Published	Frequency	Date Obtained	Type of Monitoring	Location	Pollutant	Licence Limit	Unit of Measure	Result	Comments
18/03/2018	Quarterly	28/03/2018	Water	Dam 4	Oil & Grease	No visible	mg/L	2	
					pH	6.5-8.5	pH Units	7.8	
					Total Suspended Solids	50	mg/L	31	
				Dam 5	Oil & Grease	No visible	mg/L	1	
					pH	6.5-8.5	pH Units	7.5	
					Total Suspended Solids	50	mg/L	15	
7/12/2017	First Flush	13/12/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	1	
					pH	6.5-8.5	pH Units	7.5	
					Total Suspended Solids	50	mg/L	20	
				Dam 5	Oil & Grease	No visible	mg/L	1	
					pH	6.5-8.5	pH Units	7.3	
					Total Suspended Solids	50	mg/L	107	
7/12/2017	Quarterly	13/12/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	1	
					pH	6.5-8.5	pH Units	7.5	
					Total Suspended Solids	50	mg/L	20	
				Dam 5	Oil & Grease	No visible	mg/L	1	
					pH	6.5-8.5	pH Units	7.3	
					Total Suspended Solids	50	mg/L	107	
17/08/2017	First Flush	10/08/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	3	
					pH	6.5-8.5	pH Units	7.2	
					Total Suspended Solids	50	mg/L	8	
				Dam 5	Oil & Grease	No visible	mg/L	2	
					pH	6.5-8.5	pH Units	6.6	
					Total Suspended Solids	50	mg/L	12	
17/08/2017	Quarterly	10/08/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	2	
					pH	6.5-8.5	pH Units	7.4	
					Total Suspended Solids	50	mg/L	9	
				Dam 5	Oil & Grease	No visible	mg/L	3	
					pH	6.5-8.5	pH Units	6.7	
					Total Suspended Solids	50	mg/L	32	
17/06/2017	Quarterly	3/07/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	3	
					pH	6.5-8.5	pH Units	7.2	
					Total Suspended Solids	50	mg/L	5	
				Dam 5	Oil & Grease	No visible	mg/L	1	
					pH	6.5-8.5	pH Units	6.9	
					Total Suspended Solids	50	mg/L	41	
12/06/2017	Quarterly	16/05/2016	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	65	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.3	
					Total Suspended Solids	50	mg/L	19	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	42	
					Oil & Grease	No visible	N/A	1	
26/05/2016	Quarterly	15/04/2016	Water	Dam 4	pH	6.5-8.5	pH Units	7	
					Total Suspended Solids	50	mg/L	75	
					Chemical Oxygen Demand	Monitoring only	N/A	65	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.3	
					Total Suspended Solids	50	mg/L	19	

				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	42
					Oil & Grease	No visible	N/A	<1
					pH	6.5-8.5	pH Units	7.0
					Total Suspended Solids	50	mg/L	75
18/01/2016	Quarterly	16/01/2016	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	68
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	7
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	17
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7
					Total Suspended Solids	50	mg/L	8
22/10/2015	Quarterly	16/10/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	72
					Oil & Grease	No visible	N/A	6
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	24
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	36
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7
					Total Suspended Solids	50	mg/L	8
29/07/2015	Quarterly	22/07/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	57
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	3
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	44
					Oil & Grease	No visible	N/A	4
					pH	6.5-8.5	pH Units	6.9
					Total Suspended Solids	50	mg/L	17
29/07/2015	Special frequency	22/07/2015	Water	Point 6	Total Suspended Solids	50	mg/L	4
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.7
18/05/2015	Quarterly	29/04/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	64
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.8
					Total Suspended Solids	50	mg/L	6
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	24
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	30
9/02/2015	Quarterly	27/01/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	61
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	12
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	10
4/11/2014	Quarterly	21/10/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	67
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.6

					Total Suspended Solids	50	mg/L	4
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	28
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	4
24/07/2014	Special frequency	21/07/2014	Water	Point 6	Total Suspended Solids	50	mg/L	12
					Oil & Grease	No visible	N/A	4
					pH	6.5-8.5	pH Units	7.1
24/07/2014	Quarterly	21/07/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	140
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	16
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	129
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.1
					Total Suspended Solids	50	mg/L	29
14/04/2014	Quarterly	21/05/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	86
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7
					Total Suspended Solids	50	mg/L	6
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	15
					Oil & Grease	No visible	N/A	5
					pH	6.5-8.5	pH Units	6.8
					Total Suspended Solids	50	mg/L	8
7/02/2014	Quarterly	22/01/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	68
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.8
					Total Suspended Solids	50	mg/L	20
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.4
					Total Suspended Solids	50	mg/L	32
6/11/2013	Quarterly	24/10/2013	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	43
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	8.7
					Total Suspended Solids	50	mg/L	8
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	6
6/11/2013	Special frequency	24/10/2013	Water	Point 6	Total Suspended Solids	50	mg/L	17
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.9
31/05/2013	Quarterly	17/05/2013	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	61
					Oil & Grease	No visible	N/A	<1
					pH	6.5-8.5	pH Units	7.4
					Total Suspended Solids	50	mg/L	14
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10
					Oil & Grease	No visible	N/A	<1
					pH	6.5-8.5	pH Units	7

					Total Suspended Solids	50	mg/L	3				
13/01/2013	Quarterly	20/02/2013	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	<10				
					Oil & Grease	No visible	N/A	<1				
					pH	6.5-8.5	pH Units	7.3				
					Total Suspended Solids	50	mg/L	3				
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A		Dam dry			
					Oil & Grease	No visible	N/A					
					pH	6.5-8.5	pH Units					
					Total Suspended Solids	50	mg/L					
5/11/2012	Quarterly	24/10/2012	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	64				
					Oil & Grease	No visible	N/A	3				
					pH	6.5-8.5	pH Units	7.4				
					Total Suspended Solids	50	mg/L	36				
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	14				
					Oil & Grease	No visible	N/A	1				
					pH	6.5-8.5	pH Units	7.1				
					Total Suspended Solids	50	mg/L	13				
21/08/2012	Quarterly	30/07/2012	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	52				
					Oil & Grease	No visible	N/A	2				
					pH	6.5-8.5	pH Units	6.9				
					Total Suspended Solids	50	mg/L	15				
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	12				
					Oil & Grease	No visible	N/A	1				
					pH	6.5-8.5	pH Units	7.1				
					Total Suspended Solids	50	mg/L	50				
21/08/2012	Special frequency	30/07/2012	Water	Point 6	Chemical Oxygen Demand	Monitoring only	N/A	15				
					Oil & Grease	No visible	N/A	<1				
29/06/2012	Quarterly	12/04/2012	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	66				
					Oil & Grease	No visible	N/A	2				
					pH	6.5-8.5	pH Units	5.8				
					Total Suspended Solids	50	mg/L	12				
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	18				
					Oil & Grease	No visible	N/A	1				
					pH	6.5-8.5	pH Units	2	Sampling error			
					Total Suspended Solids	50	mg/L	6				
					12/05/2012		Dam 5	pH	6.5-8.5	pH Units	6.9	
				Note: Special frequency retest of unusually high pH in previous test				Total Suspended Solids	50	mg/L	31	

Note: Points 8, 9 and 10 are dry bores, and are regularly monitored to ensure this status remains current. If water is noted in these bores, results will be posted. Point 6 and 7 are to be tested at special frequency, and results will be posted if taken.  
No discharge noted for point 7 for the month of September



Published	Date Obtained	Type of Monitoring	Frequency	Heat Plant	Pollutant	Licence Limit	Unit of Measure	O <sub>2</sub> Corrected Result
4/05/2018	24/04/2018	Air	Annually	1	Particulate	250	milligrams per cubic metre	150
4/05/2018	24/04/2018	Air	Annually	2	Particulate	100	milligrams per cubic metre	260
12/06/2017	9/02/2017	Air	Annually	1	Particulate	250	milligrams per cubic metre	160
12/06/2017	9/02/2017	Air	Annually	2	Particulate	100	milligrams per cubic metre	160
4/03/2016	11/02/2016	Air	Annually	1	Particulate	250	milligrams per cubic metre	94
4/03/2016	11/02/2016	Air	Annually	2	Particulate	100	milligrams per cubic metre	81
3/03/2015	24/02/2015	Air	Annually	1	Particulate	250	milligrams per cubic metre	150
3/03/2015	24/02/2015	Air	Annually	2	Particulate	100	milligrams per cubic metre	56
18/04/2014	31/03/2014	Air	Annually	1	Particulate	250	milligrams per cubic metre	120
18/04/2014	31/03/2014	Air	Annually	2	Particulate	100	milligrams per cubic metre	29
18/07/2013	4/07/2013	Air (retest)	Annually	1	Particulate	250	milligrams per cubic metre	240
18/07/2013	4/07/2013	Air (retest)	Annually	2	Particulate	100	milligrams per cubic metre	150
16/05/2013	3/05/2013	Air	Annually	1	Particulate	250	milligrams per cubic metre	390
16/05/2013	3/05/2013	Air	Annually	2	Particulate	100	milligrams per cubic metre	200
29/06/2012	19/04/2012	Air	Annually	1	Particulate	250	milligrams per cubic metre	180

