

Licence Details	
Environment Protection Licence:	1307
Link to above licence:	<a href="http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=28908&amp;SYSUID=1&amp;LICID=1307">http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=28908&amp;SYSUID=1&amp;LICID=1307</a>
Licencee Name:	Hyne and Son Pty Limited
Licencee Address:	Tumbarumba Sawmill, Linden Roth Drive, Tumbarumba, NSW 2653

Published	Type of Monitoring	Date Obtained	Frequency	Residence	Time	Licence Limit	Unit of Measure	Average of Results
8/05/2019	Noise	21/04/2019	Annually	C	Day	50	LAeq(15 minute)	44
					Evening	45	LAeq(15 minute)	39
					Night	40	LAeq(15 minute)	40
				D	Day	50	LAeq(15 minute)	37
					Evening	45	LAeq(15 minute)	42
					Night	40	LAeq(15 minute)	41
				H	Day	50	LAeq(15 minute)	41
					Evening	45	LAeq(15 minute)	42
					Night	40	LAeq(15 minute)	43
5/05/2018	Noise	21/04/2018	Annually	C	Day	50	LAeq(15 minute)	45
					Evening	45	LAeq(15 minute)	42
					Night	40	LAeq(15 minute)	38
				D	Day	50	LAeq(15 minute)	47
					Evening	45	LAeq(15 minute)	44
					Night	40	LAeq(15 minute)	38
				H	Day	50	LAeq(15 minute)	44
					Evening	45	LAeq(15 minute)	45
					Night	40	LAeq(15 minute)	43
12/06/2017	Noise	20/05/2017	Annually	C	Day	50	LAeq(15 minute)	44
					Evening	45	LAeq(15 minute)	42
					Night	40	LAeq(15 minute)	38
				D	Day	50	LAeq(15 minute)	41
					Evening	45	LAeq(15 minute)	38.5
					Night	40	LAeq(15 minute)	36
				H	Day	50	LAeq(15 minute)	45
					Evening	45	LAeq(15 minute)	41
					Night	40	LAeq(15 minute)	43.5
30/05/2016	Noise	19/05/2016	Annually	C	Day	50	LAeq(15 minute)	46.7
					Evening	45	LAeq(15 minute)	41.5
					Night	40	LAeq(15 minute)	42.2
					Day	50	LAeq(15 minute)	42

				D	Evening	45	LAeq(15 minute)	40.7	
					Night	40	LAeq(15 minute)	39.7	
				F	Day	50	LAeq(15 minute)	47.7	
					Evening	45	LAeq(15 minute)	39.5	
					Night	40	LAeq(15 minute)	43.7	
				H	Day	50	LAeq(15 minute)	45.5	
					Evening	45	LAeq(15 minute)	38.7	
					Night	40	LAeq(15 minute)	39.2	
18/05/2015	Noise	13/05/2015	Annually	C	Day	50	LAeq(15 minute)	43.8	
					Evening	45	LAeq(15 minute)	42	
					Night	40	LAeq(15 minute)	42.5	
				D	Day	50	LAeq(15 minute)	39.1	
					Evening	45	LAeq(15 minute)	39.3	
					Night	40	LAeq(15 minute)	38.5	
				F	Day	50	LAeq(15 minute)	42	
					Evening	45	LAeq(15 minute)	38	
					Night	40	LAeq(15 minute)	41	
				H	Day	50	LAeq(15 minute)	39.5	
					Evening	45	LAeq(15 minute)	40.75	
					Night	40	LAeq(15 minute)	40.75	
22/01/2014	Noise	9/01/2014	Annually	C	Day	50	LAeq(15 minute)	45	45.5
					Evening	45	LAeq(15 minute)	44.5	46
					Night	40	LAeq(15 minute)	43.5	41
				D	Day	50	LAeq(15 minute)	41.5	40
					Evening	45	LAeq(15 minute)	39	43.5
					Night	40	LAeq(15 minute)	36	41
				F	Day	50	LAeq(15 minute)	52.5	48
					Evening	45	LAeq(15 minute)	44.5	41
					Night	40	LAeq(15 minute)	46.5	43.5
				H	Day	50	LAeq(15 minute)	48.5	39
					Evening	45	LAeq(15 minute)	44	39
					Night	40	LAeq(15 minute)	43	41
29/06/2012	Noise	12/06/2012	Annually		Day	N/A	LAeq(15 minute)	35	44.5

				B	Evening	N/A	LAeq(15 minute)	31	46.5
					Night	N/A	LAeq(15 minute)	42	49.5
				C	Day	50	LAeq(15 minute)	49	44.5
					Evening	45	LAeq(15 minute)	45.5	44.5
					Night	40	LAeq(15 minute)	39.5	44.5
				F	Day	50	LAeq(15 minute)	32	39.5
					Evening	45	LAeq(15 minute)	45.5	41
					Night	40	LAeq(15 minute)	43.5	51
				H	Day	50	LAeq(15 minute)	40.5	38
					Evening	45	LAeq(15 minute)	29	42
					Night	40	LAeq(15 minute)	43	48

Published	Frequency	Date Obtained	Type of Monitoring	Location	Pollutant	Licence Limit	Unit of Measure	Result	Comments
8/05/2019	Quarterly	9/04/2019	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	60	
					Oil & Grease	No visible	N/A	2	
					pH	6.5-8.5	pH Units	7.2	
					Total Suspended Solids	50	mg/L	13	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	11	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7	
					Total Suspended Solids	50	mg/L	31	
8/02/2019	Quarterly	19/01/2019	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	81	
					Oil & Grease	No visible	N/A	3	
					pH	6.5-8.5	pH Units	7.4	
					Total Suspended Solids	50	mg/L	23	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.2	
					Total Suspended Solids	50	mg/L	18	
21/11/2018	First Flush	8/11/2018	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	69	
					Oil & Grease	No visible	N/A	<1	
					pH	6.5-8.5	pH Units	7.1	
					Total Suspended Solids	50	mg/L	8	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	87	
					Oil & Grease	No visible	N/A	<1	
					pH	6.5-8.5	pH Units	7.1	
					Total Suspended Solids	50	mg/L	14	
24/10/2018	Quarterly	18/10/2018	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	46	
					Oil & Grease	No visible	N/A	4	
					pH	6.5-8.5	pH Units	7.5	
					Total Suspended Solids	50	mg/L	13	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	54	
					Oil & Grease	No visible	N/A	4	
					pH	6.5-8.5	pH Units	7.4	
					Total Suspended Solids	50	mg/L	<2	
14/08/2018	Quarterly	18/06/2018	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	46	
					Oil & Grease	No visible	N/A	<1	
					pH	6.5-8.5	pH Units	7.9	
					Total Suspended Solids	50	mg/L	<2	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	13	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.5	
					Total Suspended Solids	50	mg/L	14	
3/05/2018	Quarterly	18/04/2018	Water	Dam 4	Oil & Grease	No visible	mg/L	<1	
					pH	6.5-8.5	pH Units	7.3	
					Total Suspended Solids	50	mg/L	3	
				Dam 5	Oil & Grease	No visible	mg/L	<1	
					pH	6.5-8.5	pH Units	7.3	
					Total Suspended Solids	50	mg/L	12	
18/03/2018	Quarterly	28/03/2018	Water	Dam 4	Oil & Grease	No visible	mg/L	2	

					pH	6.5-8.5	pH Units	7.8
					Total Suspended Solids	50	mg/L	31
				Dam 5	Oil & Grease	No visible	mg/L	1
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	15
7/12/2017	First Flush	13/12/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	1
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	20
				Dam 5	Oil & Grease	No visible	mg/L	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	107
7/12/2017	Quarterly	13/12/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	1
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	20
				Dam 5	Oil & Grease	No visible	mg/L	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	107
17/08/2017	First Flush	10/08/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	3
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	8
				Dam 5	Oil & Grease	No visible	mg/L	2
					pH	6.5-8.5	pH Units	6.6
					Total Suspended Solids	50	mg/L	12
17/08/2017	Quarterly	10/08/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	2
					pH	6.5-8.5	pH Units	7.4
					Total Suspended Solids	50	mg/L	9
				Dam 5	Oil & Grease	No visible	mg/L	3
					pH	6.5-8.5	pH Units	6.7
					Total Suspended Solids	50	mg/L	32
17/06/2017	Quarterly	3/07/2017	Water	Dam 4	Oil & Grease	No visible	mg/L	3
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	5
				Dam 5	Oil & Grease	No visible	mg/L	1
					pH	6.5-8.5	pH Units	6.9
					Total Suspended Solids	50	mg/L	41
21/04/2017	Quarterly	17/04/2017	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	69
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.4
					Total Suspended Solids	50	mg/L	4
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	23
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	<2
21/04/2017	First Flush	17/04/2017	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	55
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	<2
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	22
					Oil & Grease	No visible	N/A	4
					pH	6.5-8.5	pH Units	7.4

					Total Suspended Solids	50	mg/L	4
31/03/2017	First Flush	17/03/2017	Water	BC	Oil & Grease	No visible	N/A	4
				Dam 5	Oil & Grease	No visible	N/A	2
11/08/2016	First Flush	16/08/2016	Water	BC	Oil & Grease	No visible	N/A	3
				Dam 5	Oil & Grease	No visible	N/A	4
19/07/2016	Quarterly	16/07/2016	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	58
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.4
					Total Suspended Solids	50	mg/L	31
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	19
					Oil & Grease	No visible	N/A	<1
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	11
3/06/2016	Quarterly	16/05/2016	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	65
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	19
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	42
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7
					Total Suspended Solids	50	mg/L	75
26/05/2016	Quarterly	15/04/2016	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	65
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	19
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	42
					Oil & Grease	No visible	N/A	<1
					pH	6.5-8.5	pH Units	7.0
					Total Suspended Solids	50	mg/L	75
29/01/2016	Quarterly	16/01/2016	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	68
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	7
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	17
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7
					Total Suspended Solids	50	mg/L	8
22/10/2015	Quarterly	16/10/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	72
					Oil & Grease	No visible	N/A	6
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	24
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	36
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7
					Total Suspended Solids	50	mg/L	8
29/07/2015	Quarterly	22/07/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	57
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	3
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	44

					Oil & Grease	No visible	N/A	4
					pH	6.5-8.5	pH Units	6.9
					Total Suspended Solids	50	mg/L	17
29/07/2015	Special frequency	22/07/2015	Water	Point 6	Total Suspended Solids	50	mg/L	4
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.7
18/05/2015	Quarterly	29/04/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	64
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.8
					Total Suspended Solids	50	mg/L	6
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	24
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	30
9/02/2015	Quarterly	27/01/2015	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	61
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	12
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.2
					Total Suspended Solids	50	mg/L	10
4/11/2014	Quarterly	21/10/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	67
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.6
					Total Suspended Solids	50	mg/L	4
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	28
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	7.3
					Total Suspended Solids	50	mg/L	4
24/07/2014	Special frequency	21/07/2014	Water	Point 6	Total Suspended Solids	50	mg/L	12
					Oil & Grease	No visible	N/A	4
					pH	6.5-8.5	pH Units	7.1
24/07/2014	Quarterly	21/07/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	140
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	7.5
					Total Suspended Solids	50	mg/L	16
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	129
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7.1
					Total Suspended Solids	50	mg/L	29
14/04/2014	Quarterly	21/05/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	86
					Oil & Grease	No visible	N/A	3
					pH	6.5-8.5	pH Units	7
					Total Suspended Solids	50	mg/L	6
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	15
					Oil & Grease	No visible	N/A	5
					pH	6.5-8.5	pH Units	6.8
					Total Suspended Solids	50	mg/L	8
7/02/2014	Quarterly	22/01/2014	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	68




					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.8	
					Total Suspended Solids	50	mg/L	20	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.4	
					Total Suspended Solids	50	mg/L	32	
6/11/2013	Quarterly	24/10/2013	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	43	
					Oil & Grease	No visible	N/A	2	
					pH	6.5-8.5	pH Units	8.7	
					Total Suspended Solids	50	mg/L	8	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.5	
					Total Suspended Solids	50	mg/L	6	
6/11/2013	Special frequency	24/10/2013	Water	Point 6	Total Suspended Solids	50	mg/L	17	
					Oil & Grease	No visible	N/A	2	
					pH	6.5-8.5	pH Units	7.9	
31/05/2013	Quarterly	17/05/2013	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	61	
					Oil & Grease	No visible	N/A	<1	
					pH	6.5-8.5	pH Units	7.4	
					Total Suspended Solids	50	mg/L	14	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	<10	
					Oil & Grease	No visible	N/A	<1	
					pH	6.5-8.5	pH Units	7	
					Total Suspended Solids	50	mg/L	3	
13/01/2013	Quarterly	20/02/2013	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	<10	
					Oil & Grease	No visible	N/A	<1	
					pH	6.5-8.5	pH Units	7.3	
					Total Suspended Solids	50	mg/L	3	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A		Dam dry
					Oil & Grease	No visible	N/A		
					pH	6.5-8.5	pH Units		
					Total Suspended Solids	50	mg/L		
5/11/2012	Quarterly	24/10/2012	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	64	
					Oil & Grease	No visible	N/A	3	
					pH	6.5-8.5	pH Units	7.4	
					Total Suspended Solids	50	mg/L	36	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	14	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.1	
					Total Suspended Solids	50	mg/L	13	
21/08/2012	Quarterly	30/07/2012	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	52	
					Oil & Grease	No visible	N/A	2	
					pH	6.5-8.5	pH Units	6.9	
					Total Suspended Solids	50	mg/L	15	
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	12	
					Oil & Grease	No visible	N/A	1	
					pH	6.5-8.5	pH Units	7.1	
					Total Suspended Solids	50	mg/L	50	

21/08/2012	Special frequency	30/07/2012	Water	Point 6	Chemical Oxygen Demand	Monitoring only	N/A	15
					Oil & Grease	No visible	N/A	<1
29/06/2012	Quarterly	12/04/2012	Water	Dam 4	Chemical Oxygen Demand	Monitoring only	N/A	66
					Oil & Grease	No visible	N/A	2
					pH	6.5-8.5	pH Units	5.8
					Total Suspended Solids	50	mg/L	12
				Dam 5	Chemical Oxygen Demand	Monitoring only	N/A	18
					Oil & Grease	No visible	N/A	1
					pH	6.5-8.5	pH Units	2
					Total Suspended Solids	50	mg/L	6
		12/05/2012	Water	Dam 5	pH	6.5-8.5	pH Units	6.9
					Total Suspended Solids	50	mg/L	31
Note: Special frequency retest of unusually high pH in previous test								

Note: Points 8, 9 and 10 are dry bores, and are regularly monitored to ensure this status remains current. If water is noted in these bores, results will be posted. Point 6 and 7 are to be tested at special frequency, and results will be posted if taken.  
No discharge noted for point 7 for the month of September

Published	Date Obtained	Type of Monitoring	Frequency	Heat Plant	Pollutant	Licence Limit	Unit of Measure	O <sub>2</sub> Corrected Result
29/04/2019	11/04/2019	Air	Annually	1	Particulate	250	milligrams per cubic metre	180
29/04/2019	11/04/2019	Air	Annually	2	Particulate	100	milligrams per cubic metre	270
4/05/2018	24/04/2018	Air	Annually	1	Particulate	250	milligrams per cubic metre	150
4/05/2018	24/04/2018	Air	Annually	2	Particulate	100	milligrams per cubic metre	260
12/06/2017	9/02/2017	Air	Annually	1	Particulate	250	milligrams per cubic metre	160
12/06/2017	9/02/2017	Air	Annually	2	Particulate	100	milligrams per cubic metre	160
4/03/2016	11/02/2016	Air	Annually	1	Particulate	250	milligrams per cubic metre	94
4/03/2016	11/02/2016	Air	Annually	2	Particulate	100	milligrams per cubic metre	81
3/03/2015	24/02/2015	Air	Annually	1	Particulate	250	milligrams per cubic metre	150
3/03/2015	24/02/2015	Air	Annually	2	Particulate	100	milligrams per cubic metre	56
18/04/2014	31/03/2014	Air	Annually	1	Particulate	250	milligrams per cubic metre	120
18/04/2014	31/03/2014	Air	Annually	2	Particulate	100	milligrams per cubic metre	29
18/07/2013	4/07/2013	Air (retest)	Annually	1	Particulate	250	milligrams per cubic metre	240
18/07/2013	4/07/2013	Air (retest)	Annually	2	Particulate	100	milligrams per cubic metre	150
16/05/2013	3/05/2013	Air	Annually	1	Particulate	250	milligrams per cubic metre	390
16/05/2013	3/05/2013	Air	Annually	2	Particulate	100	milligrams per cubic metre	200
29/06/2012	19/04/2012	Air	Annually	1	Particulate	250	milligrams per cubic metre	180



1000K REVISED SITE MASTER PLAN